

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

251

APR 11 1937

NATIVE SEEDS AND PLANTS FROM THE PACIFIC NORTHWEST

1937

CARL S. ENGLISH, JR.

10505 FIRST AVE. N. W.

SEATTLE, WASHINGTON, U. S. A.

Our seeds are all fresh from this season's crop and carefully named. They are all personally collected with the exception of the brief list of Alaskan species which were collected for us. We earnestly endeavor to keep our botanical nomenclature correct and in accord with International Rules. Because we have no control over the many factors involved, we cannot guarantee your success in germinating and growing our seeds but we are always glad to give helpful suggestions. Our plants are all nursery grown. We have the approval and recommendation of the National Wild Flower Preservation Society and the Washington State Society for the conservation of Wild Flowers and Native Trees.

Instructions for Ordering

We pay the postage on all seed orders. When ordering plants add 10% of the total value of your order to cover shipping charges. If you prefer we will send the plants express collect, in the United States. Kindly send remittance with your order unless you have established credit with us. Foreign orders should be accompanied by an International Money Order. Seeds and plants are sold at retail only.

NATIVE SEEDS

25 cents per packet except as otherwise indicated.

Acer circinatum
Acer macrophyllum
Actaea arguta
Achlys triphylla
Allium acuminatum
Allium cernuum
Allium crenulatum
Allium Douglasii
Allium validum
Anemone Drummondii
Anemone hudsoniana
Anemone globosa

Antennaria media
Aquilegia formosa
Arabis Lyallii
Arabis Suksdorfii
Arbutus Menziesii
Arctostaphylos Uva-ursi
Arenaria capillaris,
 var. *formosa*
Artemisia tridentata
Camassia azurea (white)
Campanula Piperi 50¢
Campanula rotundifolia

NATIVE SEEDS (Cont.)

| | | | |
|---------------------------|-----|---------------------------|-----|
| Penstemon deustus | | Rubus parviflorus | |
| Penstemon Edithae | 50¢ | Rubus spectabilis | |
| Penstemon euglaucus | | Sambucus glauca | |
| Penstemon fruticosus | | Sambucus leiosperma | |
| Penstemon Gairdneri | | Saxifraga caespitosa | |
| Penstemon nemorosus | | Sedum integrifolium | |
| Penstemon ovatus | | Sedum stenopetalum | |
| Penstemon pinetorum | | Sedum spathulifolium | |
| Penstemon Richardsoni | | Shepherdia canadensis | 35¢ |
| Penstemon rupicola | | Sisyrinchium californicum | |
| Penstemon variabilis | | Sisyrinchium Douglasii | |
| Penstemon venustus | | Sisyrinchium inflatum | |
| Petrophytum caespitosum | | Smelowskia americana | |
| Petrophytum cinerascens | 50¢ | Solidago elongata | |
| Phlox occidentalis | 50¢ | Spiraea densiflora | |
| Philadelphus Lewisii | | Spiraea Douglasii | |
| Physaria alpestris | 35¢ | Streptopus amplexifolius | |
| Polemonium carneum | | Swertia perennis | |
| Polemonium elegans | 35¢ | Symphoricarpos albus | |
| Polemonium micranthum | | Synthyris lanuginosa | 35¢ |
| Potentilla Blaschkeana | | Synthyris rotundifolia | |
| Potentilla cascadiensis | | Synthyris rubra | 35¢ |
| Potentilla Drummondii | | Synthyris stellata | |
| Potentilla flabellifolia | | Talinum okanoganense | 50¢ |
| Potentilla glaucophylla | | Talinum spinescens | |
| Potentilla Gordonii | | Tellima grandiflora | |
| Potentilla gracilis | | Tiarella trifoliata | |
| Potentilla pacifica | | Tiarella unifoliata | |
| Potentilla Wrangelliana | | Thlaspi hesperum | |
| Prunus demissa | | Thuja plicata | |
| Rhododendron californicum | | Tofieldia occidentalis | |
| Ribes aureum | | Tolmiea Menziesii | |
| Ribes bracteosum | | Trillium chloropetalum | |
| Ribes cernuum | | Vaccinium parvifolium | |
| Ribes lacustre | | Vaccinium ovatum | |
| Ribes sanguineum | | Valeriana sitchensis | |
| Rosa gymnocarpa | | Veronica Cusickii | |
| Rosa nutkana | | Viola Flettii | 50¢ |
| Rosa pisocarpa | | Viola praemorsa | |
| Rubus macropetalus | | | |

NATIVE SEEDS FROM ALASKA

| | | | |
|----------------------|-----|-------------------------|-----|
| Arctous erythrocarpa | 50¢ | Iris setosa | 25¢ |
| Betula alaskana | 50¢ | Loiseleuria procumbens | 50¢ |
| Campanula lasiocarpa | 50¢ | Rhododendron lapponicum | 50¢ |
| Diapensia obovata | 50¢ | Silene acaulis | 25¢ |
| Geum Rossii | 50¢ | | |

NATIVE PLANTS (Cont.)

Each

| | |
|--|--------|
| LEDUM GLANDULOSUM. Evergreen shrub; 2-3 ft. high; fls. white. | \$1.00 |
| LEWISIA HECKNERI. Handsome trusses of pink fls. foliage fleshy. | .50 |
| LEWISIA RUPICOLA. Rosettes compact; flowers deep rose colored. | .35 |
| LUETKEA PECTINATA. Evergreen, mat-forming alpine; foliage cut. | .25 |
| PENSTEMON EDITHAE. Lovely new hybrid (P. Barrettae X P. rupicola) | |
| flowers bright rose, profusely borne; foliage gray-green. | 1.00 |
| PENSTEMON RUPICOLA. Low shrub; fls. red; foliage gray-green. | .50 |
| PENSTEMON GAIRDNERI. Dwarf shrub; flowers light rose. | .50 |
| PENSTEMON VENUSTUS. Forms giant clumps, 2-3 ft. high; fls. lilac. | .35 |
| PETROPHYTUM CAESPITOSUM. Undershrub of rose family; fls. white. | .50 |
| PETROPHYTUM CINERASCENS. Low, rock-loving shrub; lvs. gray-green. | 1.00 |
| PETROPHYTUM HENDERSONI. Lvs. silky; fls. white in short spikes. | 1.00 |
| PHLOX CONDENSATA. Dwarf, mossy; high alpine; fls. pure white. | .50 |
| PHLOX OCCIDENTALIS. Shrubby; to 1 ft. tall; fls. deep pink. | 1.50 |
| PHYLLODOCE EMPETRIFORMIS. Low heath-like shrub; fls. pink bells. | 1.00 |
| PHYLLODOCE GLANDULIFLORA. High alpine; heath-like; fls. yellow. | 1.00 |
| POLYSTICHUM ANDERSONI. Handsome evergreen fern; viviparous. | 1.00 |
| POTENTILLA VILLOSA. High alpine; fls. yellow; lvs. silky. | .35 |
| RHODODENDRON OCCIDENTALE. Oregon azalea; fls. rose to cream. | .50 |
| SAXIFRAGA PELTATA. Large; suitable for water edges; fls. pink. | .50 |
| SEDUM INTEGRIFOLIUM. High alpine; foliage gray; fls. deep red. | .50 |
| SMELOWSKIA AMERICANA. High alpine; lvs. white-woolly; fragrant. | .50 |
| SOLIDAGO BELLIDIFOLIA. High alpine; 2-3 inches; fls. yellow. | .35 |
| SYNTHYRIS. Following five, high alpine species, offered for the first time, are newly introduced from the Rocky Mountains. | |
| S. CANBYI. Leaves deeply cleft, pubescent; fls. violet. | 1.50 |
| S. CYMPTEROIDES. Foliage finely divided in narrow segments; fls. violet on 3-5 inch stems; from alpine meadows. | 1.50 |
| S. DISSECTA. Leaves finely dissected, segments densely crowded; fls. violet, in 3-5 inch, woolly spikes. Likes scree. | 1.50 |
| S. HENDERSONI. Plant white-woolly throughout; fls. violet, in 3-5 inch spikes; grows in limestone crevices. | 1.50 |
| S. PINNATIFIDA. Leaves green, finely cut; fls. white to pink. | 1.50 |
| SYNTHYRIS LANUGINOSA. Rare alpine; lvs. white-woolly; violet. | 1.00 |
| SYNTHYRIS RENIFORMIS. Shade-loving; fls. blue-lavender spikes. | .50 |
| SYNTHYRIS RENIFORMIS, var. MAJOR. Similar to above; more robust. | 1.00 |
| SYNTHYRIS ROTUNDIFOLIA. Deep shade-loving; flowers violet. | .25 |
| SYNTHYRIS RUBRA. Flower spikes reddish; lvs. reddish green. | .50 |
| SYNTHYRIS SCHIZANTHA. Flowers blue-violet, fringed; foliage large and handsomely veined; both rare and beautiful. | 1.00 |
| SYNTHYRIS STELLATA. Lovely glossy foliage; fls. violet spikes. | .50 |
| TALINUM OKANOGANENSE. New species. A handsome, tiny, rock plant; foliage gray-green, fleshy; fls. satiny white, profuse. | 1.00 |
| TALINUM SPINESCENS. 4-6 in.; sun loving; fls. crimson-magenta. | .25 |
| TOFIELDIA OCCIDENTALIS. Tufted bog plant; 6-8 in.; fls. white. | .50 |
| TROLLIUS LAXUS. Subalpine; flowers large, white. | .50 |
| VACCINIUM OVATUM. Useful, handsome, hardy evergreen shrub, 1-3 ft. | .50 |
| VIOLA PRAEMORSA. Foliage grayish; flowers large, yellow. | .25 |
| VIOLA SHELTONI. Foliage much cut; fls. yellow, bronze reverse. | .50 |
| VIOLA TRINERVATA. Desert Pansy. Upper petals maroon; lower paler. | .50 |
| XEROPHYLLUM TENAX. Bear Grass. Flowers in tall, creamy spikes. | .50 |

